

Green Gorilla®

2020 Pest Control Catalog

www.green-gorilla.com

Green Gorilla is a brand of ForeFront Product Design, LLC

Green Gorilla ProLine™


Built to help you work faster, easier, and more efficiently.

The Green Gorilla ProLine uses Smart Pressure Technology (SPT™) to precisely control pressure automatically, eliminating manual pumping.

This means that your Green Gorilla professional spray system offers you a significant return on your investment by reducing spray time as much as 25%*, as well as, efficiently using your chemicals each and every time you spray.

A 25% savings in time results in a 20 hour savings over a 4 week period, which adds directly to your bottom line.

Green Gorilla ProLine System vs. Conventional Sprayer



Power Cell Density Comparison

Green Gorilla®

Lithium Ion Polymer

Nickel Metal-Hydride

Nickel Cadmium

Our ProLine system is uniquely different from other "powered" sprayers.

The Green Gorilla ProLine pressurizes the air in the tank for efficient and consistent application of material vs. pumping the tank contents directly.

By pressurizing the air in the tank, the life of the rechargeable lithium ion power cells are maximized due to the latest power density technology.

This results in a full day of spraying on a single charge.




Smart Pressure Technology (SPT™) is unique to the Green Gorilla Systems. It utilizes state-of-the-art technology to precisely match the fluid pressure to the requirements of the wand tip.

This technology allows you the peace of mind to focus on delivery for a more precise application of your product.

SPT™ incorporates sophisticated microprocessor control of a compact high-volume compressor combined with an advanced long-life MEMS piezoresistive pressure sensor to consistently maintain the same tank pressure all the time, every time.

Every unit is fully tested and precisely tuned to control tank pressure within 2 psi of the optimum pressure for efficient and consistent application of material.

Not worrying about stopping to pump means you can concentrate on delivery, saving you time and money, while providing your customer a higher quality of service.



The Green Gorilla ProLine of sprayers makes the latest technology simple.

The patented Power Pack easily attaches to the tank with a simple push and click, turn the Power Pack on and let the automation work for you.

Rotate the knob to remove the PowerPack even if the tank is still under pressure. Swap it to another tank allowing for increased productivity or attach a freshly charged PowerPack.



ProLine Pest Control



Features

Engineered for the Professional Pest Control Operator, the Green Gorilla ProLine delivers exceptional performance in a demanding work environment.

Green Gorilla Pest Control systems are factory set to pesticide manufacturers' ideal pressure, matched to the spray nozzle to provide precision chemical application, every time.

Designed for the pest control industry, these systems offer precision application of pesticides with less user fatigue, improved productivity, and better profits.

Over 13 years experience in pest control, I traditionally used B&Gs. The Green Gorilla is a breath of fresh air, it is durable, has good power and the battery can last for days. It looks professional and my customers are always commenting on it.

Without a doubt, this is one of the best sprayers on the market."

- Josh McCloud, Owner/Operator of HoldFast Enviro Pest Solutions



Pest Control Foundation

Sold without an extension or wand, designed for those individuals who want to add an industry standard extension with no retro fitting, modification, or couplings. Thread on your choice of wand you are ready to go.

PowerPack X Vi w/wall charger (Systems Only)
 Seals: Viton®
 Hose: 48" Std Reinforced
 Hose end is 1/4" NPT male fitting
 Wand: None
 Tip: None

1.5 Gal. System*	P-01-PL-00235
2.5 Gal. System	P-01-PL-00236
1.5 Gal. Tank	P-02-PL-00232
2.5 Gal. Tank	P-02-PL-00234

Extended Life Upgrade

Double your run time! Add -XE to any system or PowerPack SKUs you want installed with the Extended Life Upgrade. (See page 7 for details)

Pest Control Pro

A complete system that requires no additional components to begin using. System includes a brass handle with either an 8" or 18" brass extension and adjustable pin-to-cone tip.

The wand's extension is curved at the end which aligns the tip at a convenient angle for application. Wand tip includes a brass check valve to minimize dripage after trigger is released.

PowerPack X Vi w/wall charger (Systems Only)
 Seals: Viton®
 Hose: 48" Std Reinforced
 Wand: Pro31 w/8" or 18" curved extension
 Tip: X-4 Brass Pin-to-Cone

1.5 Gal. System w/ 8" Wand*	P-01-PL-00247
1.5 Gal. System w/ 18" Wand	P-01-PL-00248
2.5 Gal. System w/ 18" Wand	P-01-PL-00250
1.5 Gal. Tank w/ 8" Wand	P-02-PL-00243
1.5 Gal. Tank w/ 18" Wand	P-02-PL-00244
2.5 Gal. Tank w/ 18" Wand	P-02-PL-00246

Tanks DO NOT include a PowerPack & charger.
 *configuration shown above



No Drip



Pest Control Pro PS

The Pest Control Pro PS is designed for the user who needs a positive shut-off no-drip wand for their applications. The Pro PS configuration includes a gunjet style trigger, with either an 8" or 18" brass, straight extension, and adjustable pin-to-cone tip with positive tip shut off.

PowerPack X Vi w/wall charger (Systems Only)
 Seals: Viton®
 Hose: 48" Std Reinforced
 Wand: PS30 w/8" or 18" straight extension
 Tip: X-4 Brass Pin-to-Cone

- 1.5 Gal. System w/ 8" Wand _ _ _ _ P-01-PL-00255
- 1.5 Gal. System w/ 18" Wand _ _ _ _ P-01-PL-00256
- 2.5 Gal. System w/ 18" Wand* _ _ _ _ P-01-PL-00258
- 1.5 Gal. Tank w/ 8" Wand _ _ _ _ P-02-PL-00251
- 1.5 Gal. Tank w/ 18" Wand _ _ _ _ P-02-PL-00252
- 2.5 Gal. Tank w/ 18" Wand _ _ _ _ P-02-PL-00254

Extended Life Upgrade

Double your run time! Add -XE to any system or PowerPack SKUs you want installed with the Extended Life Upgrade. (See page 7 for details)

Industrial PolyChem

The Industrial PolyChem configuration is designed for the user that applies corrosive solutions. The PolyChem configuration includes an all poly wand with a 15" poly extension, and an adjustable pin-to-cone tip.

PowerPack X Vi w/wall charger (Systems Only)
 Seals: Viton®
 Hose: 48" Std Reinforced
 Wand: AC70 15" straight extension
 Tip: X-8 Poly Pin-to-Cone

- 1.5 Gal. System w/ 15" Wand* _ _ _ _ P-01-PL-00241
- 2.5 Gal. System w/ 15" Wand _ _ _ _ P-01-PL-00242
- 1.5 Gal. Tank w/ 15" Wand _ _ _ _ P-02-PL-00238
- 2.5 Gal. Tank w/ 15" Wand _ _ _ _ P-02-PL-00240

Tanks DO NOT include a PowerPack & charger.
 *configuration shown above

System & Tank Upgrades

Customize your equipment

Green Gorilla systems have a large selection of accessories to chose from.

Build a system for a very specific job or keep it general purpose. We have the individual options to suit every technician.



Upgrade	Detail Page
<p>PowerPack</p> <p>Digitally maintained pressure at the push of a button. Pg 7</p>	
<p>PowerPack ProKit</p> <p>Our PowerPack ProCase with a host of extras, including a DC Charger and Fan Tip. Pg 8</p>	
<p>PowerPack ProCase</p> <p>A professional case to easily store your PowerPack, its charger, nozzles, and other tools. Pg 8</p>	
<p>20ft Hose Extension</p> <p>Work easily in tight spaces by leaving your tank in one spot while you focus on treating. Pg 9</p>	
<p>Hose Disconnect Kit</p> <p>Swap out hose extensions or alternate spray wands without drips or pressure loss. Pg 9</p>	
<p>Premium Shoulder Strap</p> <p>High quality padding makes for a comfortable day. Great for ProLine tanks and ProCases. Pg 10</p>	
<p>PowerPack DC Charger</p> <p>Charge your PowerPacks between jobs. Just plug it in and go. Pg 10</p>	
<p>Application Wands</p> <p>The right tools make all the difference. Get the spray wand that suits your needs. Pg 11</p>	
<p>Nozzle and Tip Accessories</p> <p>Fan tips, hollow cones, and shutoff valves, we offer a wide variety to suit every technician. Pg 12</p>	



PowerPack X Vi

Compatible with all Green Gorilla ProLine units the Power Pack X automatically pressurizes and maintains tank pressure for precision application of pesticides.

Easily detachable without depressurizing the tank, a fully charged PowerPack has 4-5 hrs of continuous run time and with the Extended Life Upgrade the runtime is increased to 8-10 hrs.

Factory Set Pressure: 15psi ±1 (other set points available)
 Battery: 4-5 hrs continuous run time
 Extended Battery: 8-10 hrs continuous run time
 Charger: 110Vac Wall Charger Included
 Optional: 12Vdc Car Charger (see pg 10)

PowerPack X Vi _ _ _ _ _ P-08-PL-00204
 PowerPack X Vi +_ _ _ _ _ P-08-PL-00204-XE

Power Level Indicators

Green: Fully Charged
 Yellow: 50% Depleted
 Red: 100% Depleted



Extended Life Upgrade

Double your PowerPack's battery life with this upgrade. Purchase your PowerPack with this upgrade already installed, or send in your existing PowerPack for a factory upgrade.

Extended Life Upgrade _ _ _ _ _ P-03-PL-00239

How To Order Factory Installed

Add -XE to any system or PowerPack SKUs you want installed with your ordered upgrades.

Example:

P-01-PL-00248-XE Qty 3
 P-03-PL-00239 Qty 3

The above order will result in 3 systems with Extended Life Upgrades installed.

P-01-PL-00248 Qty 8
 P-01-PL-00248-XE Qty 2
 P-03-PL-00239 Qty 2

The above order will result in 2 systems with upgrades installed and 8 systems without.



Pro Case & Kit

Durable and professional, keep your PowerPack and tools on hand for easy access and present a professional image while on the job. Multiple interior pockets are ideal for storing your tips, chargers, and small tools.

Dimensions: 11" x 11" x 5"

- Vi Kit Includes:
- PowerPack X Vi
 - Wall Charger
 - DC Charger
 - #1 Fan Tip
 - Silicon Lubricant (1oz)
 - Spare Expanded Battery Pack

Hand tools shown for illustrative purposes, hand tools are not included.

Pro Case Vi Kit	P-03-PL-00502
Pro Case (only)	P-03-PL-00333

**Add a Premium
Shoulder Strap for
hands free carrying**



Quick Disconnect Hose Accessories



No Drip



Quick-Disconnect Kit

These no-drip connectors allow you to easily swap out wands and/or hose extensions without depressurizing the tank.

Optional: This kit can be factory installed when ordered with your system, [see example below](#).

Seals: Viton®
Hardware: Included

Quick-Disconnect Kit P-08-PL-00215

How To Order Kits Factory Installed

Add -DV to any system or tank SKUs you want installed with your ordered Kits.

Example:

P-01-PL-00247-DV	Qty 3
P-08-PL-00215	Qty 3

The above order will result in 3 systems with kits factory installed.

P-01-PL-00247	Qty 5
P-08-PL-00215	Qty 5

The above order will result in 5 systems and 5 kits, all packaged separately.

P-01-PL-00247	Qty 8
P-01-PL-00247-DV	Qty 2
P-08-PL-00215	Qty 6

The above order will result in 2 systems with kits installed and 8 systems without, and 4 kits packaged separately.



No Drip

Extended Hose

Because there is no manual pumping, a 20ft no-drip, hose extension can be added to a tank equipped with the quick-disconnect kit, allowing the technician to treat without having to carry the tank.

Length: 20ft
Seals: Viton®
Connection Style: Quick-Disconnect

Extended Hose* P-08-PL-00213

*Extended Hose can only be connected to tanks equipped with Quick-Disconnect Kit



PowerPack DC Charger

Charge your system between jobs. Compatible with your vehicle's 12Vdc auxiliary ports, just plug in the PowerPack and begin charging the PowerPack.

DC Charger P-08-XX-00058



Premium Shoulder Strap

Thickly padded and double stitched, this strap is designed to last.

Steel hardware and woven nylon design. Premium Shoulder Strap can be used with ProLine tanks and/or the PowerPack ProCase.

Prem. Shoulder Strap P-08-PL-00222





Application Wands

A. Pro31

All brass construction, great for primarily outdoor spraying.

Extension Style: Curved
 Lengths: 8" & 18"
 Shutoff location: Handle
 Trigger Lock: No
 Seals: Teflon® / Viton®

B. PS30

Equipped with a positive-shutoff at the tip, this handle is ideal for indoor spraying for the highest precision.

Extension Style: Straight
 Lengths: 8" & 18"
 Shutoff location: Tip
 Trigger Lock: Yes
 Seals: Teflon® / Viton®

C. TJ66

With a fast, flowing design, this trigger is best for spraying thick, or high solids solutions.

Extension Style: Curved
 Lengths: 18"
 Shutoff location: Handle
 Trigger Lock: No
 Seals: Viton®

D. C508

All poly design with a trigger lock, this handle is perfect for many general applications.

Extension Style: Straight
 Lengths: 15"
 Shutoff location: Handle
 Trigger Lock: Yes
 Seals: EPDM / Buna-N

E. AC70

Lightweight and highly chemical resistant, this handle is best when spraying caustic solutions, such as acid.

Extension Style: Straight
 Lengths: 15"
 Shutoff location: Handle
 Trigger Lock: Yes
 Seals: Viton®

F. AL30

Made for caustic solutions, this all poly spray handle offers the operator a full hand trigger.

Extension Style: Straight
 Lengths: 15"
 Shutoff location: Handle
 Trigger Lock: Yes
 Seals: Viton®

Pro31 w/8" Ext.	P-08-XX-00009	TJ66 w/18" Ext.	P-08-XX-00552
Pro31 w/18" Ext.	P-08-XX-00124	C508 w/15" Ext.	P-08-XX-00006
PS30 w/8" Ext.	P-08-XX-00013	AC70 w/15" Ext.	P-08-XX-00007
PS30 w/18" Ext.	P-08-XX-00008	AL30 w/15" Ext.	P-08-XX-00696

Spray Tips & Accessories



Brass Pin-to-Cone
X-2, X-4, X-8, X-10



Poly Pin-to-Cone
X-8, X-12



F-15 Fan Tip



F-1 Fan Tip



4-Way Tip

Crack & Crevice
Tool



Poly Strainer




Brass/Steel
Strainer/Shutoff



Poly/Steel
Strainer/Shutoff

Pin-to-Cone Nozzles

Easily adjust between a pin stream and a cone with these nozzles. Tighten the end for a fine cone, or loosen to get a strong pin stream.




Tip	SKU	GPM (Cone - Stream)	Spray Angle (Cone)	Max. Throw (Stream)
X-2 Brass	P-08-XX-00130	.025 - .091	40°	23'
X-4 Brass	P-08-XX-00129	.050 - .180	61°	30'
X-8 Brass	P-08-XX-00016	.097 - .330	66°	32'
X-10 Brass	P-08-XX-00589	.120 - .420	68°	34'
X-8 Poly	P-08-XX-00135	.097 - .330	57°	34'
X-12 Poly	P-08-XX-00146	.150 - .490	61°	36'

Max throw calculated with tip 2.5' above ground, tipped upwards at 20° angle.

Fan Tip Nozzles

Apply your solutions in a smooth band, excellent for controlled, even distribution over a wide area.

All fan tips have a poly base with a stainless steel core.




Tip	SKU	GPM	Spray Angle
F-1	P-08-XX-00136	.071	80°
F-15	P-08-XX-00137	.11	110°

4-Way Tip Nozzle

Three spray patterns and a crack and crevice tool to suit anything the job may need.

Brass body and poly tube crevice tool.



Tip	SKU
4-Way Tip & Crack/Crevice Tool	P-08-XX-00520

Strainers & Strainer-Shutoffs

Protect your tip from clogging with a standard strainer or add on a strainer-shutoff to add an extra barrier against occasional tip drips. (Strainers are not compatible with the PS31.)

Strainer Poly	P-08-XX-00147
Strainer-Shutoff Poly/Steel	P-08-XX-00139
Strainer-Shutoff Brass/Steel	P-08-XX-00590


Tank Replacement Parts



Accessory Replacement Parts



P-08-XX-00124
Pro31 w/18" Ext.



P-08-XX-00009
Pro31 w/8" Ext.

P-08-XX-00129
X-4 Brass Tip



P-08-PL-00147
Strainer
P-08-PL-00590
Brass Strainer & Shutoff

P-08-XX-00007
AC70



P-08-XX-00008
PS30 w/18" Ext.




P-08-XX-00013
PS30 w/8" Ext.

P-08-XX-00146
X-8 Poly Tip



P-03-PL-00187

Battery
(Extended Life requires two)



Second Connector
In Extended Life PPX
Only

P-03-PL-00208
Wall Charger



P-03-PL-00183
Battery Door
& Screw



P-03-PL-00189
Air Filter



P-08-PL-00226
Pro31/PS30 Seal Kit

P-08-PL-00225
AC70 Seal Kit



Green Gorilla PMP Testimonials

Keith Brooker

*Paragon Pest Solutions, Inc.
Brevard, FL*

I purchased a Green Gorilla for an employee who had been complaining of shoulder issues from constantly having to pump a backpack sprayer. Since then the employee loves it and the productivity has definitely increased.

We plan on purchasing one for each of our service trucks.

Don English

*Engineered Pest Solutions
Macon, CA*

Time is truly money in the pest control business and the Green Gorilla frees you up to do more IPM and inspections.

Andy Shrawder

*Hershey Termite & Pest Control
Hershey, PA*

Like everyone, time and money are important to me.

I had first seen Green Gorilla at Pest World 2014, and the idea intrigued me. But, cost was a seemingly prohibitive obstacle in purchasing one. About a year ago, I finally committed to buying one.

My only complaint is that I should've bought one sooner!

The time saved on treatments without having to "stop and pump" (particularly on larger jobs) has been huge! The battery life has been great. I use the sprayer every day, and I probably only charge the battery every 2-3 weeks.

Thanks so much for a great product! Keep up the good work!

Arnie Fishon

*ABCO Termite & Pest Control, Inc
Stony Brook, NY*

I've worked in the pest control industry all my life. In fact, I started working for my father's company, doing a walking route in Brooklyn, NY before I had my driver's license. I've seen products come and go, some good, some bad. But it is rare that a product stands out like your Green Gorilla sprayer.

I am now 73 years and I still do some spraying applications, and I was getting tired of pumping up the sprayer all the time. Then I was reading PCT magazine and came across the Green Gorilla. I have to admit I was somewhat skeptical. The product is well designed and works great.

My son saw me use it, borrowed it, and as a result I had to order another one. My brother saw me use it, borrowed it, and I had to order another one. I guess that's what comes from working in the family business! I'm only concerned my other employees will want them too.

Thank you for designing such a great product!

Josh McCloud

*HoldFast Enviro Pest Solutions
Missoula, MT*

Over 13 years experience in pest control, I traditionally used B&Gs. The Green Gorilla is a breath of fresh air, it is durable, has good power and the battery can last for days. It looks professional and my customers are always commenting on it.

Without a doubt, this is one of the best sprayers on the market.





COURT
Pest Control

Green Gorilla
PowerPack 32
PE

Product Specification Data Sheet: High Strength Industrial Poly Tank



2.5 Gal. Tank
Shown

MADE IN

THE USA
OF US & FOREIGN PARTS

Construction

- Material: Specially formulated high strength chemical and impact resistant material
- Fabrication: Proprietary custom blow molded technology
- Strength: Thick walled - high burst pressure >60 psi
- Chemical Resistance: Highly resistant to a wide range of chemicals
- Endurance Test: Six foot drop test onto concrete (no affect) - more durable than metal
- Sealing Surface: Specially designed post-machined sealing surface for O-ring seal
- Capacity: 1.5 and 2.5 gal. (Easy-Fill extra wide mouth)

Connection Technology

- Material: Acetal - high strength and chemical resistant
- Seals: Available in Viton® or EPDM
- Type: Patented "Easy-Twist Quick-Connect™" system
- Connection Products: PPX push-on/twist knob removal and J-groove
- Manual Depressurization: Yes - depress red button to depressurize tank
- Safety Auto-Depressurization: Yes - automatic safety pressure release
- Max Pressure: >50 psi

Hose

- Material: Flexible reinforced double wall and highly resistant to a wide range of chemicals
- Size/Color: 0.54" (OD) x 0.31" (ID) x 48" (long), Grey
- Strain Relief: Stainless springs available
- End Connection: Brass compression sleeve onto 1/4" Male NPT or Barb on poly wand

Manual Pump

- Material: Chemical resistant Co-Polymer
- Capacity: High capacity pump requires fewer strokes for higher pressure
- Seals: Available in Viton® or EPDM

Product Specification Data Sheet: PowerPack X with SPT™



Housing

- Material: Space-age high strength Xenoy™ - 6 foot drop test onto concrete (pass)
- Color: Black over-mold with grey case
- Over-mold: Santoprene™ - 50 durometer
- Connection to Tank: Push-in to attach, twist knob to remove: Easy-Twist Quick-Connect™
- Seal: Santoprene™ Over-mold - IP-54 Dust/Splash-Proof

Micro-Compressor


- Type: Reciprocating Piston – high cycle life tested
- Motor: Brush DC
- Max Flow: 6.0 L/min
- Max Pressure: 29 psi (200 Kpa)

Smart Pressure Technology™

- Controller Type: Advanced microprocessor coupled with solid state high accuracy piezoresistive MEMS pressure sensor technology
- User Adjustable: No
- Factory Setting: 19psi ±1
- Hysteresis: 2 psi (factory adjustable)

Battery Technology

- Type: Dual field replaceable rechargeable Li-Ion - 5200 mA-hr. @ 7.4Vdc
- Recharge Time: ~5 hrs with 115 VAC wall charger
- Recharge Method: Wall charger rated at 8.4 VDC, 1000 ma or 12 Vdc car charger
- Charging Indicator: LED: Red = charging
Green = charged
- Capacity Indicator: LED: Green = charged
Yellow = half charge
Red = discharged
- Application Time: 4 - 5 hrs





Green Gorilla®

568 Braddock Ave.
E. Pittsburgh, PA 15112

+1 800 866 2122
www.green-gorilla.com