



To Our Customers:

The attached Safety Data Sheet (SDS) was prepared by the vendor of the product you purchased through one of our divisions. We used the manufacturer's electronic document directly or scanned a paper copy and generated a file for our automated SDS delivery system.

All statements, technical information, and recommendations contained therein are solely that of the manufacturer of the product. We at Zep Inc. did not verify the accuracy and completeness of the statements and do not warrant or guarantee the information. We provide vendor SDSs to assist our customers in their compliance efforts. The attached document is in compliance with one of the respective country regulatory requirements noted below:

The OSHA Hazard Communication Standard (in the United States)  
The Hazardous Products Regulations (in Canada)

We made every effort to deliver all of the information prepared by the manufacturer. We cannot anticipate all conditions under which this information will be used. If you have any questions about the statements on the SDS, please contact the company shown on the document.

Zep Inc. assumes no liability or responsibility for loss or damage resulting from the improper use or handling of this product, from incompatible product combinations, or from the failure to follow instructions, warnings, and advisories in the manufacturer's product label and Safety Data Sheet.

Sincerely,

Product Stewardship Team  
Zep Inc.

# SAFETY DATA SHEET

## 1. Identification

**Product identifier:** KONK COMMERCIAL BED BUG KILLER - PCP# 31111

**Other means of identification**

**SDS number:** RE1000039338

**Recommended restrictions**

**Product use:** Pesticide

**Restrictions on use:** Not known.

**Manufacturer/Importer/Distributor Information**

**Manufacturer**

**Company Name:** ZEP MANUFACTURING CO  
**Address:** 11627 178 STREET  
EDMONTON, AB T5S 1N6  
**Telephone:** 905-669-9876  
**Fax:**

**Emergency telephone number:** 1-866-836-8855

## 2. Hazard(s) identification

**Hazard Classification**

**Physical Hazards**

Flammable aerosol Category 1

**Health Hazards**

Aspiration Hazard Category 1

**Environmental Hazards**

Acute hazards to the aquatic environment Category 2

**Label Elements**

**Hazard Symbol:**



**Signal Word:** Danger

**Hazard Statement:** Extremely flammable aerosol.  
May be fatal if swallowed and enters airways.  
Toxic to aquatic life.

**Precautionary Statements**

**Prevention:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid release to the environment.

**Response:** IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting.

**Storage:** Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F.

**Disposal:** Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

**Other hazards which do not result in GHS classification:** None.

### 3. Composition/information on ingredients

#### Mixtures

Chemical Identity	Common name and synonyms	CAS number	Content in percent (%)*
Naphtha (petroleum), heavy alkylate		64741-65-7	30 - 60%
Propane, 2-methyl-		75-28-5	10 - 30%
Propane		74-98-6	10 - 30%
1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-		51-03-6	3 - 7%
Distillates (petroleum), hydrotreated light		64742-47-8	1 - 5%
Pyrethrins		8003-34-7	0.1 - 1%

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

### 4. First-aid measures

**Ingestion:** Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.

**Inhalation:** Move to fresh air.

**Skin Contact:** Wash skin thoroughly with soap and water. Get medical attention if symptoms occur.

**Eye contact:** Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses. If eye irritation persists: Get medical advice/attention.

#### Most important symptoms/effects, acute and delayed

**Symptoms:** No data available.

**Hazards:** No data available.

#### Indication of immediate medical attention and special treatment needed

**Treatment:** No data available.

### 5. Fire-fighting measures

**General Fire Hazards:** Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk.

#### Suitable (and unsuitable) extinguishing media

**Suitable extinguishing media:** Use fire-extinguishing media appropriate for surrounding materials.

**Unsuitable extinguishing media:** Do not use water jet as an extinguisher, as this will spread the fire.

**Specific hazards arising from the chemical:** Vapors may travel considerable distance to a source of ignition and flash back.

**Special protective equipment and precautions for firefighters**

**Special fire fighting procedures:** No data available.

**Special protective equipment for fire-fighters:** Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

**6. Accidental release measures**

**Personal precautions, protective equipment and emergency procedures:** Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind.

**Methods and material for containment and cleaning up:** Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.

**Notification Procedures:** Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do so without risk.

**Environmental Precautions:** Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid release to the environment.

**7. Handling and storage**

**Precautions for safe handling:** Wash hands thoroughly after handling. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.

**Conditions for safe storage, including any incompatibilities:** Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

**8. Exposure controls/personal protection**

**Control Parameters**

**Occupational Exposure Limits**

Chemical Identity	Type	Exposure Limit Values	Source
Naphtha (petroleum), heavy alkylate	8 HR ACL	400 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
Naphtha (petroleum), heavy alkylate	TWA	400 ppm 1,590 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (07 2009)
	15 MIN ACL	500 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
Naphtha (petroleum), heavy alkylate	TWA	525 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)

Naphtha (petroleum), heavy alkylate	TWA	400 ppm 1,590 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)
Propane, 2-methyl-	STEL	1,000 ppm	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (08 2017)
Propane, 2-methyl-	8 HR ACL	1,000 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
	15 MIN ACL	1,250 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
Propane, 2-methyl-	STEL	1,000 ppm	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) (03 2018)
Propane, 2-methyl-	STEL	1,000 ppm	US. ACGIH Threshold Limit Values (03 2018)
Propane	TWA	1,000 ppm	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (07 2009)
Propane	8 HR ACL	1,000 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
Propane	TWA	1,000 ppm 1,800 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)
Propane	TWA	1,000 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
	15 MIN ACL	1,250 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
Distillates (petroleum), hydrotreated light	TWA	525 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (12 2007)
Distillates (petroleum), hydrotreated light - Non-aerosol. - as total hydrocarbon vapor	TWA	200 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Distillates (petroleum), hydrotreated light - Vapor. - as total hydrocarbon vapor	TWA	200 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (07 2009)
Distillates (petroleum), hydrotreated light - Non-aerosol. - as total hydrocarbon vapor	TWA	200 mg/m3	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) (03 2011)
Distillates (petroleum), hydrotreated light - Non-aerosol. - as total hydrocarbon vapor	TWA	200 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Distillates (petroleum), hydrotreated light - Vapor. - as total hydrocarbons	8 HR ACL	200 mg/m3	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
	15 MIN ACL	250 mg/m3	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
	TWA	200 mg/m3	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) (03 2011)
	TWA	200 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Distillates (petroleum), hydrotreated light - Non-aerosol. - as total hydrocarbon vapor	TWA	200 mg/m3	US. ACGIH Threshold Limit Values (2008)
	TWA	200 mg/m3	US. ACGIH Threshold Limit Values (2008)
Pyrethrins	TWA	5 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (12 2007)
Pyrethrins	15 MIN ACL	10 mg/m3	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
Pyrethrins	TWA	5 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (10 2006)
Pyrethrins	TWA	5 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Pyrethrins	TWA	5 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)

	8 HR ACL	5 mg/m3	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
Pyrethrins	TWA	5 mg/m3	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) (03 2011)
Pyrethrins	TWA	5 mg/m3	US. ACGIH Threshold Limit Values (2008)

**Appropriate Engineering Controls** No data available.

**Individual protection measures, such as personal protective equipment**

- General information:** Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory and eye protection may be needed in special circumstances, such as poorly ventilated spaces, heating, evaporation of liquids from large surfaces, spraying of mists, mechanical generation of dusts, drying of solids, etc.
- Eye/face protection:** Wear safety glasses with side shields (or goggles).
- Skin Protection**
- Hand Protection:** No data available.
- Other:** Wear suitable protective clothing.
- Respiratory Protection:** In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.
- Hygiene measures:** Observe good industrial hygiene practices. When using do not smoke.

**9. Physical and chemical properties**

**Appearance**

- Physical state:** liquid
- Form:** Spray Aerosol
- Color:** No data available.
- Odor:** No data available.
- Odor threshold:** No data available.
- pH:** No data available.
- Melting point/freezing point:** No data available.
- Initial boiling point and boiling range:** No data available.
- Flash Point:** Estimated -104.4 °C
- Evaporation rate:** No data available.
- Flammability (solid, gas):** No data available.

**Upper/lower limit on flammability or explosive limits**

- Flammability limit - upper (%):** Estimated 9.5 %(V)
- Flammability limit - lower (%):** Estimated 1.8 %(V)
- Explosive limit - upper (%):** No data available.
- Explosive limit - lower (%):** No data available.

**Vapor pressure:** No data available.

**Vapor density:** No data available.

**Density:** No data available.

**Relative density:** No data available.

**Solubility(ies)**

- Solubility in water:** No data available.
- Solubility (other):** No data available.

<b>Partition coefficient (n-octanol/water):</b>	No data available.
<b>Auto-ignition temperature:</b>	No data available.
<b>Decomposition temperature:</b>	No data available.
<b>Viscosity:</b>	No data available.

## 10. Stability and reactivity

<b>Reactivity:</b>	No data available.
<b>Chemical Stability:</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions:</b>	No data available.
<b>Conditions to avoid:</b>	Avoid heat or contamination.
<b>Incompatible Materials:</b>	No data available.
<b>Hazardous Decomposition Products:</b>	No data available.

## 11. Toxicological information

### Information on likely routes of exposure

<b>Inhalation:</b>	No data available.
<b>Skin Contact:</b>	No data available.
<b>Eye contact:</b>	No data available.
<b>Ingestion:</b>	No data available.

### Symptoms related to the physical, chemical and toxicological characteristics

<b>Inhalation:</b>	No data available.
<b>Skin Contact:</b>	No data available.
<b>Eye contact:</b>	No data available.
<b>Ingestion:</b>	No data available.

### Information on toxicological effects

#### Acute toxicity (list all possible routes of exposure)

##### Oral

**Product:** Not classified for acute toxicity based on available data.

##### Specified substance(s):

Naphtha (petroleum), heavy alkylate	LD 50: > 2,000 mg/kg
1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-	LD 50 (Rat): 5,630 mg/kg

Distillates (petroleum), hydrotreated light LD 50 (Rat): > 5,000 mg/kg

Pyrethrins LD 50 (Rat): 500 - 1,000 mg/kg

#### Dermal

**Product:** Not classified for acute toxicity based on available data.

#### Specified substance(s):

Naphtha (petroleum), heavy alkylate LD 50: > 2,000 mg/kg

1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl- LD 50: > 2,000 mg/kg

Distillates (petroleum), hydrotreated light LD 50 (Rabbit): > 2,000 mg/kg

#### Inhalation

**Product:** Not classified for acute toxicity based on available data.

#### Specified substance(s):

Naphtha (petroleum), heavy alkylate LD 50: > 5 mg/l

Propane LC 50: > 100 mg/l  
LC 50: > 100 mg/l

1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl- LC 50 (Rat): > 5.9 mg/l

Distillates (petroleum), hydrotreated light LC 50: > 5 mg/l  
LC 50: > 20 mg/l

#### Repeated dose toxicity

**Product:** No data available.

#### Specified substance(s):

Propane, 2-methyl- NOAEL (Rat(Female, Male), Inhalation, >= 42 d): 16,000 ppm(m) Inhalation Experimental result, Key study

NOAEL (Rat(Female, Male), Inhalation): 21,394 mg/m3 Inhalation Experimental result, Key study

Propane NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study

LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation Experimental result, Key study

1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl- NOAEL (Dog(Female, Male), Oral, 1 yr): 600 ppm(m) Oral Experimental result, Key study

LOAEL (Rat(Female, Male), Oral, 28 - 31 d): 250 mg/kg Oral Experimental result, Supporting study

NOAEL (Rat(Female, Male), Oral, 28 - 31 d): 125 mg/kg Oral Experimental result, Supporting study

NOAEL (Rabbit(Female, Male), Dermal): > 1,000 mg/kg Dermal Experimental result, Key study

LOAEL (Rat(Female, Male), Inhalation): >= 512 mg/m3 Inhalation Experimental result, Key study



Distillates (petroleum), hydrotreated light  
NOAEL (Rat(Female, Male), Inhalation): >= 24 mg/m3 Inhalation  
Experimental result, Key study  
NOAEL (Rat(Female), Oral, 70 - 147 d): 750 mg/kg Oral Experimental result, Key study

**Skin Corrosion/Irritation**

**Product:** No data available.

**Specified substance(s):**

Distillates (petroleum), hydrotreated light  
in vivo (Rabbit): Not irritant Experimental result, Key study

**Serious Eye Damage/Eye Irritation**

**Product:** No data available.

**Specified substance(s):**

Distillates (petroleum), hydrotreated light  
Rabbit, 24 - 72 hrs: Not irritating

**Respiratory or Skin Sensitization**

**Product:** No data available.

**Specified substance(s):**

1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-  
Distillates (petroleum), hydrotreated light  
Skin sensitization:, in vivo (Guinea pig): Non sensitising  
Skin sensitization:, in vivo (Guinea pig): Non sensitising

**Carcinogenicity**

**Product:** No data available.

**IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:**

No carcinogenic components identified

**US. National Toxicology Program (NTP) Report on Carcinogens:**

No carcinogenic components identified

**ACGIH Carcinogen List:**

No carcinogenic components identified

**Germ Cell Mutagenicity**

**In vitro**

**Product:** No data available.

**In vivo**

**Product:** No data available.

**Reproductive toxicity**

**Product:** No data available.

**Specific Target Organ Toxicity - Single Exposure**

**Product:** No data available.

**Specific Target Organ Toxicity - Repeated Exposure**

**Product:** No data available.

**Aspiration Hazard**

**Product:** No data available.

**Specified substance(s):**

Naphtha (petroleum), heavy alkylate May be fatal if swallowed and enters airways.

Distillates (petroleum), hydrotreated light May be fatal if swallowed and enters airways.

**Other effects:** No data available.

**12. Ecological information**

**Ecotoxicity:**

**Acute hazards to the aquatic environment:**

**Fish**

**Product:** No data available.

**Specified substance(s):**

Propane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-  
LC 50 (Oncorhynchus mykiss, 96 h): 6.12 mg/l Experimental result, Key study  
NOAEL (96 h): 0.625 mg/l Experimental result, Key study

Pyrethrins  
LC 50 (Rainbow trout,donaldson trout (Oncorhynchus mykiss), 96 h): 0.013 - 0.0306 mg/l Mortality  
LC 50 (Rainbow trout,donaldson trout (Oncorhynchus mykiss), 96 h): 0.02 - 0.03 mg/l Mortality

**Aquatic Invertebrates**

**Product:** No data available.

**Specified substance(s):**

1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-  
EC 50 (Daphnia magna, 48 h): 510 µg/l Experimental result, Key study

Pyrethrins EC 50 (Water flea (Daphnia), 48 h): 0.018 - 0.032 mg/l Intoxication

**Chronic hazards to the aquatic environment:**

**Fish**

**Product:** No data available.

**Specified substance(s):**

1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-  
NOAEL (Pimephales promelas): 0.18 mg/l Experimental result, Key study  
LOAEL (Pimephales promelas): 0.42 mg/l Experimental result, Key study

Distillates (petroleum), hydrotreated light  
NOAEL (Oncorhynchus mykiss): 0.098 mg/l QSAR QSAR, Key study

**Aquatic Invertebrates**

**Product:** No data available.

**Specified substance(s):**  
1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-  
LOAEL (Daphnia magna): 47 µg/l Experimental result, Key study  
NOAEL (Daphnia magna): 30 µg/l Experimental result, Key study

**Toxicity to Aquatic Plants**  
**Product:** No data available.

### Persistence and Degradability

**Biodegradation**  
**Product:** No data available.

**Specified substance(s):**  
Propane, 2-methyl- 100 % Detected in water. QSAR, Weight of Evidence study  
Propane 100 % (385.5 h) Detected in water. Experimental result, Key study  
50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study  
1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl- 24 - 48 % (28 d) Detected in water. Experimental result, Supporting study  
Distillates (petroleum), hydrotreated light 61 % Detected in water. Experimental result, Supporting study

**BOD/COD Ratio**  
**Product:** No data available.

### Bioaccumulative potential

**Bioconcentration Factor (BCF)**  
**Product:** No data available.

**Specified substance(s):**  
1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-  
Bioconcentration Factor (BCF): 39.06 Aquatic sediment QSAR, Key study

**Partition Coefficient n-octanol / water (log Kow)**  
**Product:** No data available.

**Specified substance(s):**  
1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-  
Log Kow: 4.8 - 5 20 - 25 °C

**Mobility in soil:** No data available.

### Known or predicted distribution to environmental compartments

Naphtha (petroleum), heavy alkylate	No data available.
Propane, 2-methyl-	No data available.
Propane	No data available.
1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-	No data available.
Distillates (petroleum), hydrotreated light	No data available.
Pyrethrins	No data available.

**Other adverse effects:** Toxic to aquatic organisms.

### 13. Disposal considerations

**Disposal instructions:** Discharge, treatment, or disposal may be subject to national, state, or local laws.

**Contaminated Packaging:** No data available.

### 14. Transport information

#### TDG

UN Number: UN 1950  
UN Proper Shipping Name: Aerosols, flammable  
Transport Hazard Class(es)  
Class: 2.1  
Label(s): –  
EmS No.:  
Packing Group: –  
Environmental Hazards: Yes  
Marine Pollutant: No  
Special precautions for user: Not regulated.

#### IMDG

UN Number: UN 1950  
UN Proper Shipping Name: Aerosols, flammable  
Transport Hazard Class(es)  
Class: 2  
Label(s): –  
EmS No.: F-D, S-U  
Packing Group: –  
Environmental Hazards: Yes  
Marine Pollutant: No  
Special precautions for user: Not regulated.

#### IATA

UN Number: UN 1950  
Proper Shipping Name: Aerosols, flammable  
Transport Hazard Class(es)  
Class: 2.1  
Label(s): –  
Packing Group: –  
Environmental Hazards: Yes  
Marine Pollutant: No  
Special precautions for user: Not regulated.  
Cargo aircraft only: Allowed.

### 15. Regulatory information

#### Canada Federal Regulations List of Toxic Substances (CEPA, Schedule 1)

##### Chemical Identity

Distillates (petroleum), hydrotreated light

### Export Control List (CEPA 1999, Schedule 3)

#### Chemical Identity

Distillates (petroleum), hydrotreated light

### National Pollutant Release Inventory (NPRI)

#### Canada. National Pollutant Release Inventory (NPRI) Substances, Part 5, VOCs with Additional Reporting Requirements

NPRI PT5	Naphtha (petroleum), heavy alkylate
	Propane, 2-methyl-
	Propane
	Distillates (petroleum), hydrotreated light

#### Canada. National Pollutant Release Inventory (NPRI) (Schedule 1, Parts 1-4)

NPRI	Distillates (petroleum), hydrotreated light
------	---

### Greenhouse Gases

#### Chemical Identity

Distillates (petroleum), hydrotreated light

### Controlled Drugs and Substances Act

CA CDSI	Distillates (petroleum), hydrotreated light
CA CDSII	Distillates (petroleum), hydrotreated light
CA CDSIII	Distillates (petroleum), hydrotreated light
CA CDSIV	Distillates (petroleum), hydrotreated light
CA CDSV	Distillates (petroleum), hydrotreated light
CA CDSVII	Distillates (petroleum), hydrotreated light
CA CDSVIII	Distillates (petroleum), hydrotreated light

### Precursor Control Regulations

#### Chemical Identity

Distillates (petroleum), hydrotreated light

### International regulations

#### Montreal protocol

Distillates (petroleum), hydrotreated light

#### Stockholm convention

Distillates (petroleum), hydrotreated light

#### Rotterdam convention

Distillates (petroleum), hydrotreated light

UVCBs-organic

#### Kyoto protocol

**Inventory Status:**

Australia AICS:	On or in compliance with the inventory
Canada DSL Inventory List:	On or in compliance with the inventory
Canada NDSL Inventory:	Not in compliance with the inventory.
Ontario Inventory:	Not in compliance with the inventory.
China Inv. Existing Chemical Substances:	On or in compliance with the inventory
Japan (ENCS) List:	Not in compliance with the inventory.
Japan ISHL Listing:	Not in compliance with the inventory.
Japan Pharmacopoeia Listing:	Not in compliance with the inventory.
Korea Existing Chemicals Inv. (KECI):	On or in compliance with the inventory
Mexico INSQ:	On or in compliance with the inventory
New Zealand Inventory of Chemicals:	On or in compliance with the inventory
Philippines PICCS:	On or in compliance with the inventory
Taiwan Chemical Substance Inventory:	On or in compliance with the inventory
US TSCA Inventory:	On or in compliance with the inventory
EINECS, ELINCS or NLP:	Not in compliance with the inventory.

**16. Other information, including date of preparation or last revision**

**Issue Date:** 11/22/2019

**Revision Date:** No data available.

**Version #:** 1.0

**Further Information:** No data available.

**Disclaimer:** This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.